Index

ACK General Acknowledgment, 10-20 action code, 12-21 Action code, 12-17, 12-24, 12-27 action code usage, 12-6 action date/time, 12-18, 12-21 actual problem resolution date/time, 12-22 APR, 10-54 AIG, 10-45 ARQ, 10-27 AIG field definitions, 10-45 AIL, 10-48 AUT, 11-22 AIP, 10-51 AIS, 10-42 Allow substitutions code, 10-44, 10-48, 10-51, 10-54 anticipated problem resolution date/time, 12-22 Application roles, 10-9, 10-11, 11-5 Application roles in a messaging environment, 11-7 Appointment, 10-13 Appointment duration, 10-30, 10-37 Appointment duration units, 10-30, 10-37 appointment information - general resource segment, 10-45 appointment information - location resource segment, 10-48 appointment information - personnel resource segment, 10-51 Book, 10-13 appointment information - service segment, 10-42 appointment preferences segment, 10-54 Appointment reason, 10-29, 10-36 appointment request segment, 10-27

Appointment slot spacing criteria, 10-56 Appointment timing quantity, 10-37 appointment type, 10-12 Appointment type, 10-29, 10-37 Appointments, 10-8 ARQ field definitions, 10-27 Authorization effective date, 11-23 Authorization expiration date, 11-23 Authorization identifier, 11-23 authorization information segment, 11-22 Authorized number of treatments, 11-24 Authorizing payor, company ID, 11-22 Authorizing payor, company name, 11-23 Authorizing payor, plan ID, 11-22 Auxiliary application, 10-13 auxiliary application role, 10-10, 11-7 Benefits, 11-8 Block, 10-13 BNF Message Descriptions, C-1 Cancel patient referral, 11-18 certainty of problem, 12-23 Change pathway life cycle status, 12-28

Health Level Seven, Version 2.4 © 2000. All rights reserved.

Child appointment, 10-13	Event reason, 10-36	
Clinical information, 11-8	EXAMPLE TRANSACTIONS, 10-57	
Contact address, 11-27	expected goal achievement date/time, 12-18	
contact data segment, 11-26	Expiration date, 11-21	
Contact identifiers, 11-28	Family/significant other awareness of problem/prognosis, 12-23	
Contact location, 11-27	Figure 10-1. An example excerpt from an appointment	
Contact name, 11-27	book, 10-6	
Contact phone number, 11-28	Figure 10-2 Application role messaging relationships, 10- 11	
Contact role, 11-24	Filler application, 10-13	
CTD, 11-26, 11-27	filler application role, 10-9	
CTD data element definitions, 11-27	Filler appointment ID, 10-28, 10-29, 10-35, 10-40	
current goal review date/time, 12-19	Filler contact address, 10-38	
current goal review status, 12-19	Filler contact location, 10-39	
Data Definition Tables, A-1	Filler contact person, 10-38	
Data element names, A-135	Filler contact phone number, 10-38	
Dependent, 11-8	filler order number, 10-34, 10-41	
Documented date/time, 12-28	Filler override criteria, 10-57	
Duration, 10-43, 10-47, 10-50, 10-54	Filler status code, 10-40, 10-44, 10-48, 10-51, 10-54	
Duration units, 10-44, 10-48, 10-51, 10-54	Glossary, D-1	
Effective date, 11-21	goal, 12-4	
Effective end date of role, 11-26	goal classification, 12-18	
Effective start date of role, 11-26	goal detail segment, 12-17	
Eligibility/coverage, 11-8	goal established date/time, 12-18	
Encounter, 11-8	goal evaluation, 12-19	
Entered by location, 10-33, 10-39	goal evaluation comment, 12-19	
Entered by person, 10-33, 10-39	goal ID, 12-18	
Entered by phone number, 10-33, 10-39	goal instance ID, 12-18	
episode of care, 12-18	goal life cycle status, 12-20	
episode of care ID, 12-21		

goal life cycle status date/time, 12-20	HL7 Table 0003 - Event type (patient care events only),
goal management discipline, 12-19	12-5
goal review interval, 12-19	HL7 Table 0287 - Action code, 12-17
goal target name, 12-20	I01, 11-9
goal target type, 12-20	102, 11-10
GOL, 12-17	I03, 11-10
Guarantor, 11-8	I04, 11-11
Health care provider, 11-8	105, 11-12
HL7 - X12 Joint Coordinating Committee, 11-35	I06, 11-12
HL7 and User-defined Tables - Alphabetic sort, A-10	107, 11-13
HL7 and user-defined tables - numeric sort, A-21	I08, 11-15
HL7 Attribute Table - AUT, 11-22	109, 11-15
HL7 Attribute Table - RF1, 11-18	110, 11-16
HL7 Attribute Table - AIG, 10-45	I11, 11-15, 11-16
HL7 Attribute Table - AIL, 10-48	112, 11-16, 11-18
HL7 Attribute Table - AIP, 10-51	113, 11-18
HL7 Attribute Table - AIS, 10-42	I14, 11-18
HL7 Attribute Table - APR, 10-55	115, 11-16, 11-18
HL7 Attribute Table - ARQ, 10-27	IMPLEMENTATION CONSIDERATIONS, 10-59
HL7 Attribute Table - CTD, 11-27	Individual awareness of problem, 12-23
HL7 Attribute Table - GOL, 12-17	Individual awareness of prognosis, 12-23
HL7 Attribute Table - PRB, 12-20	inter-enterprise, 11-4
HL7 Attribute Table - PRD, 11-24	intra-enterprise, 11-4
HL7 Attribute Table - PTH, 12-27	Issues, 10-60
HL7 ATtribute Table - RGS, 10-41	Location group, 10-49
HL7 Attribute Table - ROL, 12-24	Location resource ID, 10-49
HL7 Attribute Table - SCH, 10-34	Location selection criteria, 10-56
HL7 Attribute Table - VAR, 12-28	Location type, 10-49
	Logical relationship of resource and service segments, 10- 59, 10-60

Health Level Seven, Version 2.4 $\ensuremath{\textcircled{O}}$ 2000. All rights reserved.

Index

Lower Layer Protocols, B-1	Modify patient referral, 11-18
master goal list number, 12-18	Multiple placer applications, 10-59
master problem list number, 12-21	New diagnoses/problems, 12-7
MESSAGE SEGMENTS, 10-27	New goals, 12-7
Message types, A-2	next goal review date/time, 12-19
Messages	Occurrence number, 10-28, 10-36
PGL, 12-9	Office/home address, 12-26
PIN, 11-13	Organization unit type, 12-26
PPG, 12-12	Original mode queries - display oriented, 10-24
PPP, 12-11	Original mode queries - record oriented, 10-24
PPR, 12-10	Parent and child appointments, 10-9
РРТ, 12-16	Parent appointment, 10-13
PPV, 12-14	Parent filler appointment ID, 10-33
PRR, 12-13	Parent placer appointment ID, 10-33, 10-39
PTR, 12-15	Pathway established date/time, 12-27
RCI, 11-12	Pathway ID, 12-27
RCL, 11-12	Pathway instance ID, 12-27
REF, 11-18	Pathway life cycle status, 12-27
RPA, 11-13, 11-15	pathway segment, 12-27
RPI, 11-9, 11-11	Patient Care, 12-1
RPL, 11-10	Patient referral, 11-4, 11-16, 11-18
RPR, 11-10	Patient Referral, 11-1, 11-3
RQA, 11-13, 11-15	Patient referral and responses, 11-3
RQC, 11-12	Payor, 11-8
RQI, 11-9, 11-10	payors, 11-3
RQP, 11-11	PC1, PC2, PC3, 12-10
RRI, 11-18	PC4, 12-13
SQM, 10-25	PC5, 12-13
SQR, 10-25	PC6, PC7, PC8, 12-9

PC9, 12-14	РРТ, 12-16
PCA, 12-14	PPV, 12-14
PCB, PCC, PCD, 12-11	PRB, 12-20
PCE, 12-15	PRD, 11-24
PCF, 12-15	PRD data element definitions, 11-24
PCG, PCH, PCJ, 12-12	Pre-authorization, 11-8
РСК, 12-16	Preferred method of contact, 11-26, 11-28
PCL, 12-16	previous goal review date/time, 12-19
Personnel resource ID, 10-52	Primary care provider, 11-8
PGL, 12-9	primary care provider (PCP), 11-4
PGL/ACK, 12-9	primary care providers, 11-3
Phone, 12-26	Priority, 10-31
PIN, 11-13	Probability of problem, 12-23
Placer application, 10-14	problem, 12-4
placer application role, 10-10	problem classification, 12-22
Placer appointment ID, 10-27, 10-29, 10-35	problem confirmation status, 12-22
Placer contact address, 10-32, 10-38	problem date of onset, 12-22
Placer contact location, 10-32, 10-38	problem detail segment -, 12-20
Placer contact person, 10-32, 10-37	problem established date/time, 12-22
Placer contact phone number, 10-32, 10-38	problem ID, 12-21
Placer group number, 10-28, 10-36	problem instance ID, 12-21
placer order number, 10-34, 10-40	problem life cycle status, 12-22
Point of Care system, 12-7	problem life cycle status date-time, 12-22
PPG, 12-12	problem list, 12-7
PPG/ACK, 12-12	problem management discipline, 12-22
PPP, 12-11	problem onset text, 12-23
PPP/ACK, 12-11	problem persistence, 12-22
PPR, 12-10	Problem prognosis, 12-23
PPR/ACK, 12-10	problem ranking, 12-23

Health Level Seven, Version 2.4 $\ensuremath{\textcircled{O}}$ 2000. All rights reserved.

Process date, 11-21, 11-24	Referral type, 11-19
Provider address, 11-25	referred-by provider, 11-5
provider data segment, 11-24	referred-to provider, 11-5
Provider identifiers, 11-26	referred-to provider application role, 11-6
Provider location, 11-25	Referred-to-provider, 11-9
Provider name, 11-25	Referring provider, 11-9
Provider phone number, 11-26	referring provider application role, 11-5
Provider type, 12-26	Reimbursement limit, 11-23
PRR, 12-13	Repeating interval, 10-31
PTH, 12-27	Repeating interval duration, 10-32
PTR, 12-15	Request event reason, 10-29
QRY, 12-13, 12-15, 12-16	Request for cancellation of an authorization, 11-15, 11-16
Query transactions, 10-24	Request for modification to an authorization, 11-15
Querying application, 10-14	Request for resubmission of an authorization, 11-16
querying application role, 10-10, 11-6	Request for treatment authorization information, 11-15
RCI, 11-12	Request patient referral status, 11-16, 11-18
RCL, 11-12	Requested number of treatments, 11-24
reasons used with transactions, 10-12	Requested start date/time range, 10-30
REF, 11-18	Resource, 10-14
REF - patient referral message, 11-16	Resource group, 10-46, 10-53
REF deferred example, 11-31	Resource group ID, 10-42
REF immediate example, 11-30	resource group segment, 10-41
Referral, 11-9	Resource ID, 10-46
Referral category, 11-20	Resource quantity, 10-46
Referral disposition, 11-20	Resource quantity units, 10-46
Referral identifier, 11-20, 11-21	Resource role, 10-52
referral information segment, 11-18	Resource selection criteria, 10-56
Referral priority, 11-19	Resource type, 10-46
Referral status, 11-19	resources, 10-6

Responding to a patient referral, 11-5	RRI, 11-18
RF1, 11-18	S01, 10-17
RF1 - data element definitions, 11-19	S02, 10-17
RFI, 11-18	S03, 10-17
RGS, 10-41	S04, 10-17
ROL, 12-24	S05, 10-18
role, 12-4	S06, 10-18
Role, 11-27	S07, 10-18
Role - ROL, 12-24	S08, 10-18
Role assumption reason, 12-25	S09, 10-19
Role begin date/time, 12-25	S10, 10-19
Role duration, 12-25	S11, 10-19
Role end date/time, 12-25	S12, 10-20
Role instance ID, 12-24	S13, 10-21
Role person, 12-25	S14, 10-21
role segment, 12-24	S15, 10-21
RPA, 11-13, 11-15	S16, 10-21
RPI, 11-9, 11-11	S17, 10-21
RPL, 11-10	S18, 10-22
RPR, 11-10	S19, 10-22
RQA, 11-13, 11-15	S20, 10-22
RQA - request for patient treatment authorization, 11-13	S21, 10-22
RQA deferred example, 11-30	S22, 10-23
RQA immediate example, 11-29	\$23, 10-23
-	
RQC, 11-12	S24, 10-23
RQC immediate example, 11-32	S25, 10-24, 10-25
RQI, 11-9, 11-10	S26, 10-23
RQI immediate example, 11-28	Scenarios
RQP, 11-11	clinical repository loading, 12-5

Health Level Seven, Version 2.4 $\ensuremath{\textcircled{O}}$ 2000. All rights reserved.

consultation, 12-4	RF1, 11-18
patient pre-admission or patient admission, 12-4	RFI, 11-18
Scenarios, 12-4	RGS, 10-41
SCH, 10-34	SCH, 10-34
SCH field definitions, 10-35	VAR, 12-28
Schedule, 10-14	Service, 10-14
schedule activity information segment, 10-34	Services, 10-6
Schedule ID, 10-29, 10-36	Set ID - AIG, 10-45
Schedules, 10-6	Set ID - AIL, 10-49
Scheduling, 10-1	Set ID - AIP, 10-52
Security/sensitivity, 12-23	Set ID - AIS, 10-42
Segments	Set ID - RGS, 10-41
ROL, 12-24	SIU Schedule Information Unsolicited, 10-20
Segments, A-6	Slot, 10-14
AIG, 10-45	Specialist, 11-9
AIL, 10-48	specialists, 11-3
AIP, 10-51	SQM, 10-25
AIS, 10-42	SQM Schedule Query Message, 10-25
APR, 10-54	SQR, 10-25
ARQ, 10-27	SQR Schedule Query Response, 10-25
AUT, 11-22	SRM Schedule Request Message, 10-15
AUT, 11-22	SRR Scheduled Request Response, 10-16
CTD, 11-27	Start date/time, 10-43, 10-47, 10-50, 10-53
CTD, 11-26	Start date/time offset, 10-43, 10-47, 10-50, 10-53
GOL, 12-17	Start date/time offset units, 10-43, 10-47, 10-50
PRB, 12-20	Stated variance date/time, 12-28
PRD, 11-24	Statuses, 10-12
PRD, 11-24	Subscriber, 11-9
PTH, 12-27	Time selection criteria, 10-55, 10-56, 10-57

Trigger events, 10-12	User-defined Table 0283 - Referral status, 11-19
TRIGGER EVENTS AND MESSAGE DEFINITIONS, 11- 9	User-defined Table 0284 - Referral category, 11-20
Universal service identifier, 10-42	User-defined Table 0286 - Provider role, 11-25, 12-25
universalserviceID, 10-44, 10-45	User-defined Table 0294 - Time selection criteria parameter class codes, 10-55
User-defined Table 0276 - Appointment reason codes, 10- 29	User-defined Table 0336 - Referral reason, 11-21
User-defined Table 0277 - Appointment type codes, 10-30	User-defined Table 0406 - Organization Unit Type, 12-26
	VAR, 12-28
User-defined Table 0278 - Filler status codes, 10-40	Variance classification, 12-28
User-defined Table 0279 - Allow substitution codes, 10-44	Variance description, 12-29
User-defined Table 0280 - Referral priority, 11-19	variance description, 12-29
User-defined Table 0281 - Referral type, 11-19	Variance instance ID, 12-28
	Variance originator, 12-28
User-defined Table 0282 - Referral disposition, 11-20	variance segment, 12-28

Index