Location of RSR Client-level Data Elements in CAREWare Updated Sept 2017

Demographics

- Required of all clients that received any core medical or support service if they are ELIGIBLE for RWHAP services.
- Eligibility recorded in CAREWare in Eligibility History accessed from the Demographics tab in the client record.

Field ID	Field Name	Coding	Location in CAREWare
SV4	Unique client ID (eUCI)-Encrypted	Encrypted using hash function	Auto-calculated by CAREWare from first and last name, date of birth, and gender of each client
4	Client's year of birth	YYYY	Demographic tab from the Date of Birth of Client
5	What is the client's ethnicity?	Hispanic/Latino Non-Hispanic/Latino	Demographics tab
68	Hispanic Subgroups (Select one or more)	 Mexican, Mexican American, Chicano/a Puerto Rican Cuban Other Hispanic, Latino/a or Spanish origin 	Demographics tab Activated if Hispanic ethnicity is true.
6	What is the client's race? (Select one or more)	 White Black or African American Asian Native Hawaiian/ Pacific Islander American Indian or Alaska Native 	Demographics tab More than one race can be selected.
69	If Asian, what subgroup? (Select one or more)	 Asian Indian Chinese Filipino Japanese Korean Vietnamese Other Asian 	Demographics tab Activated if Asian race is selected
70	If Native Hawaiian/Pacific Islander, what subgroup? (Select one or more)	 Native Hawaiian Guamanian or Chamorro Samoan Other Pacific Islander 	Demographics tab Activated if NHPI race is selected

7	Current Gender	 Male Female Transgender Unknown Transgender Male to female Transgender Female to male Transgender unknown 	Demographic tab
71	Sex at Birth	MaleFemale	Demographics tab
Data e	lements required if client receive	es Medical Care, Medical Cas (non-medical)	se Management or Case Management
2	What was the client's vital enrollment status <u>at the end</u> <u>of this reporting period?</u>	 Active Referred or discharged Removed due to violation of rules Incarcerated Relocated Deceased 	 Demographics tab Enrollment Status Vital Status is used to record Deceased Date of death and close date tell CAREWare when status changed and what to report at end of RSR year. Missing dates can affect the result reported.
9	Client's percent of the Federal poverty level <u>at the</u> end of the reporting period	 Below 100% of the FPL 100-138% of the Federal poverty level 139-200% of the Federal poverty level 201-250% of the Federal poverty level 251-400% of the Federal poverty level 401-500% of the Federal poverty level More than 500% of the FPL 	Annual Review tab: Must enter household size and household income for CAREWare to calculate percent of Federal Poverty Level. CAREWare export the appropriate category in the RSR
10	Client's housing status <u>at the</u> <u>end of the reporting period</u> This information is also required of housing service providers	 Stable/permanent Temporary Unstable 	 Annual Review tab Other and Unknown set to <i>Missing in RSR</i>

12	What was the client's HIV/AIDS status <u>at the end of</u> <u>the reporting period</u> ?	 HIV negative HIV-positive, not AIDS HIV-positive, AIDS status unknown CDC-defined AIDS HIV indeterminate (infants only < 2 yrs) 	 Demographic tab-HIV Status by Date: The client's HV status is determined using the HIV and AIDS diagnosis dates, if they exist, relative to the end date of the RSR export. If no of HIV or AIDS diagnosis date is entered, then current HIV status reported. (All statuses) If HIV diagnosis date prior to the report end date (and no AIDS diagnosis date), then current HIV status is reported. (All statuses) If AIDS diagnosis date exists and is before RSR end date, then HIV status is CDC-defined AIDS. If HIV status is CDC-defined AIDS but AIDS diagnosis date is missing or after report end date, then HIV status reported as HIV Positive (AIDS Status Unknown). HIV Indeterminate status is only reported for clients less than 2 years of age. Clients whose HIV status is set to indeterminate but are great than 2 years old will have their HIV status reported as Unknown
72	Year of HIV Diagnosis (only for newly enrolled clients)	• YYYY	Demographics tab Taken from the HIV Diagnosis Date if client is newly enrolled. Newly enrolled is determined from enrollment date (that is, when the enrollment year equals current report year).
14	Client's risk factor for HIV infection	 Male who has sex with male(s) (MSM) Injecting drug use (IDU) Hemophilia/ coagulation disorder Heterosexual contact Receipt of blood transfusion, blood components, or tissue Perinatal transmission Not Reported or not identified 	Demographics tab More than one risk can be selected.

15	Indicate <u>all sources</u> of the client's healthcare coverage <u>during this reporting period</u> :	 Private – Employer PrivateIndividual Medicare Medicaid, CHIP or other public plan Veteran's Administration, TRICARE, or other Military health care Indian Health Insurance No Insurance Other Plan 	 Annual Review tab Value required for clients who receive any of the following services: OAHS Medical CM Non-Medical CM Any other core medical service
----	---	---	--

<u>Services</u>

- Only services that are set up in a contract that has some RWHAP-funding are included in the RSR
- RSR includes number of visits in the current reporting year for each core service if the client was eligible and provider was funded to deliver the service, even if the service was not paid for by RWHAP for that client.
- Only one visit per day per service category is reported

Field ID	Field Name	Coding	Location in CAREWare
16, 18–19, 21–27	Core Medical Services	 Outpatient ambulatory health services Oral health care Early intervention services Home health care Home and community-based health services Hospice services Mental health services Medical nutrition therapy Medical case management (including treatment adherence) Substance abuse services—outpatient 	 Services tab: Core medical services only reported for HIV-positive or indeterminate clients All services and their source of funding are first entered/ established in Contracts module
17, 20, 28–44, 75	Support Services	 AIDS Pharmaceutical Assistance (Local or community APA, <i>not</i> <i>Part B ADAP</i>)* Health Insurance Premium and Cost Sharing Assistance for Low Income Individuals* Case management (non-medical) services Child care services Emergency financial assistance Food bank/home-delivered meals Health education/risk reduction Housing services Linguistic services Medical transportation Outreach services Referral for health care/supportive services rehabilitation services Respite care Substance abuse services—residential Other professional services 	Services tab (Exported in RSR as Yes if any services received) *While these are core medical services, they follow the reporting rule for support services

<u>Clinical Information</u>
Only reported for HIV-positive clients that have at least one Outpatient/ambulatory health service visit

Field ID	Field Name	Coding	Location in CAREWare
46	Was HIV risk reduction screening/counseling provided to this client <u>during this reporting</u> <u>period</u> ?	Yes/No/Unknown	Annual review tab
47	Date of the client's <u>first</u> <u>outpatient /ambulatory care visit</u> at this provider agency	mm/dd/yyyy	Service tab The first service date may be in a different year and may not have been paid for by RWHAP
48	All dates of the client's outpatient ambulatory health service visits during this reporting period.	mm/dd/yyyy	Service tab
49	All CD4 counts and their dates for this client <u>during the report</u> <u>period.</u>	Test Values and Dates	Clinical encounter: Lab tab Enter date and result for CD4 tests throughout the year
50	All Viral Load counts and their dates for this client <u>during this</u> report period	Test Values and Dates	Clinical encounter: Lab tab Enter date and result for Viral Load tests throughout the year
51	Was the client prescribed PCP prophylaxis at any time <u>during</u> <u>this reporting period</u> ?	 Yes No Not medically indicated No, client refused 	 Clinical encounter: Medications (where indication = OI prophylaxis and OI= PCP) Client is assumed on PCP prophylaxis if no Stop date for that indication; If no CD4 count less than 200 in year than reported as not medically indicated
52	Was the client prescribed or had they received any antiretroviral therapy (ART) <u>during the report</u> <u>period</u> ?	 Yes No, not ready (as determined by clinician) No, client refused No, intolerance, side-effect, toxicity No, ART payment assistance unavailable No, other reason 	 Clinical encounter: medications tab. At least ONE ART medication (indication=ART) If ART is discontinued, enter the reason for stopping treatment (e.g. intolerance, side effect,

			 toxicity) If No ARV treatment enter in Pre-ART Reason field on Medications tab
54	Was the client screened for TB since HIV diagnosis?	 Yes No Not medically indicated 	Clinical encounters, Screenings tab: TST, or TB Chest Radiograph; Screening labs tab: IGRA (=Quantiferon) Demographic tab:. CAREWare looks for HIV diagnosis date if it exists. If no HIV diagnosis date, but TB test exists, then answer is Yes.
55	Was the client screened for syphilis <u>during this reporting</u> <u>period</u> ? (excludes all clients under the age of 18 who are not sexually active)	 Yes No Not medically indicated 	 Clinical encounters, Screening Labs tab Test is labeled Syphilis (not RPR) and date is in the RSR calendar year. Users may create their own custom screening tests (e.g. RPR) and map them to a HRSA-defined field to ensure that it is captured for the RSR
57	Was the client screened for Hepatitis B <u>since HIV diagnosis?</u>	 Yes No Not medically indicated Unknown 	Demographics tab: HIV Diagnosis date Clinical encounters, Screening labs tab for any of the following with date after HIV Dx date: • HBsAb • HBsAg • HBeAb • HBeAg • HBV(DNA)
58	Has the client completed the vaccine series for Hepatitis B?	 Yes No Not medically indicated 	Clinical encounters, Immunization tab Either Hep B third dose or Twinrix 3 rd dose has been recorded in CAREWare

60	Was the client screened for Hepatitis C <u>since HIV diagnosis</u> <u>date?</u>	 Yes No Not medically indicated Unknown 	Clinical encounters, Screening labs tab Record of either Hep C Antibody test or HCV RNA
			Date after HIV Diagnosis date
61	Was the client screened for substance use (alcohol and drugs) <u>during this reporting period</u> ?	 Yes No Not medically indicated 	Annual review tab Record this at least once each year. This field is used
			simply to indicate that screening was done, not that client has a substance abuse issue.
62	Was the client screened for mental health <u>during this</u>	YesNo	Annual review tab
	reporting period?	Not medically indicated	Record this at least once each year. This field is used simply to indicate that screening was done, not that client has a mental health issue.
63	(For HIV+ women only) Did the client receive a Pap smear during this reporting period?	 Yes No Not medically indicated Not applicable 	Clinical encounters: Screenings tab Pap Smear dated in the report year
64	(For HIV+ women only) Was the client pregnant <u>during this</u> <u>reporting period?</u>	 Yes No Not applicable 	Pregnancy tab CAREWare uses the estimated date of last menstrual period (LMP) and the pregnancy outcome date to populate this field
73	Positive HIV Test Date Required of clients newly diagnosed in the reporting year	mm/dd/yyyy	Demographics Tab: HIV Diagnosis Date OR HIV C&T tab: First Test Date with positive result. Demographics Tab: HIV Diagnosis Date OR HIV C&T tab: First Test Date with positive result.
74	OAHS Link Date	mm/dd/yyyy	Service Tab: date of first medical visit when the HIV diagnosis date is in the current reporting year (newly diagnosed HIV).

NOTES:

OAHS= Outpatient Ambulatory Health Services (formerly OAMC)

CAREWare networks:

If you are connected to other providers on a centralized CAREWare network and have agreed to share clinical data with them on a need to know basis (that is, for clients that you have in common), you may select the "Use Shared Lab Data" (screenshot below). Using this option will allow you to report CD4 count and viral load data in the RSR on clients also seen at other locations where these test results are routinely collected.

Data Validation Report	Client Report Viewer	
	RSR	
Report Year:		
Options	ed Lab Data	
	t Filter: pply Custom Filter <u>Edit</u> lide Personal Identifying Inf	Filter ormation

Assigning custom screenings/screening labs to ensure complete RSR reporting

Say that you created a custom screening lab for Hepatitis C called "My Hep C Test." If you want to make sure that this test gets properly assigned and reported in the RSR, do the following:

Select

- Admin Options
- Clinical Encounter Setup

In the field "Test Name for HRSA Reporting" select the RSR field to which you want to associate your custom test. For example, here we've selected "Hepatitis C Antibody." This will ensure that your customized Hep C test will get reported in the RSR in the Hep C screening field.

Add/Edit	
Test Name:	
My Hep C Test	
Test Name for HRSA reporting:	Save Add
Hepatitis C antibody	Cancel Add