The RSR Data Validation Report creates a list missing RSR related data and access to the list of clients missing this data. Resolving missing client data fields in the RSR Data Validation Report reduces and eliminates possible alerts and warnings when the RSR Client Report is uploaded to the HRSA Electronic Handbook. To run the RSR Data Validation Report follow the instructions below:

## 1. Click Reports.

Add Client
Find Client
Reports
Drug Inventory System
Appointments
Orders
Administrative Options
My Settings
Rapid Service Entry
Log Off
Exit

## 2. Click HRSA Reports.



## 3. Click RSR.

HRSA R	eports Menu
	RSR
	RDR
	ADR Client Report
	ADR Grantee Report
	ADAP Quarterly Report
	Close

4. Click Data Validation Report.

ſ	Ryan White HIV/AIDS Program Services Report (RSR)				
	Data Validation Report Client Report Viewer				
	RSR				
	Report Year:				
	Options				
	Use Shared Lab Data				
	Report Filter: Apply Custom Filter <u>Edit Filter</u> Hide Personal Identifying Information				
Create RSR Client Report					
	What type of quality management program did your agency use to assess services by medical providers during this reporting period?				
	Create RSR Provider Report				
	Close				

- 5. Select the Provider.
- 6. Select the Report Year.
- 7. Check Cross-Provider Lab Data. (If there is shared data between provider domains)
- 8. Click Show Results.

RSR Validation Report							
F1: Printable Report	Provider: tester	Show Res	Show Results				
	Report Year: 2018  Vise Shared Lab Data						
Esc: Close	Validation Rule	Severity	# Errors				

The severity column describes the level of severity. An error will likely need to be resolved before uploading the file to the EHB. An alert or warning should be resolved if the data is available and can be explained in a memo in the EHB. The # Errors column shows the number of clients with an error for each item.

RSR Validation Report			
F1: Printable Report	Provider: tester	Show Results	
	Neport Tear: 2010		
Esc: Close	Validation Rule	Severity	# Errors
	Demographics Clients with Birth Year after end of reporting period Clients with Birth Year after First HIV OAHS Visit Date Year Clients with HIV/AIDS Status of Indeterminate missing Risk Factor of M Clients with HIV diagnosis year after reporting period Clients with HIV diagnosis year after reporting period Clients with Male or Unknown Gender with Pregnancy Status Clients age 90 or older Clients with Birth Year after CD4 Test Dates Clients with Birth Year after OAHS Service Dates Clients with Birth Year after Viral Load Test Dates Clients missing Poverty Level Clients missing Medical Insurance Clients with HIV/AIDS Status of Indeterminate Over Age 2	Error Error Warning Alert Alert Alert Alert Alert Alert Alert Alert Alert Warning Warning Warning Warning	0 1 0 0 2 0 0 2 0 0 0 154 56 418 0
	Services Clients missing Core Medical or Support Services Clients with OAHS Service Visits greater than the number of OAHS Serv Service Visits Exceed Yearly Limit Clients with Core Medical Services with HIV Negative HIV/AIDS Status Clients with OAHS Service Dates before Reporting Period Clients with First HIV OAHS Visit Date after Reporting Period Clients with First HIV OAHS Visit Date after QAHS Service Dates	Waming Alert Alert Waming Error Error Frror	0 0 <u>26</u> 0 0

To print an RSR Data Validation Report, click Printable Report.

RSR Validation Report			
F1: P <mark>rintable Report</mark>	Provider: tester Report Year: 2018  Use Shared Lab Data	Show Resu	ılts
Esc: Close	Validation Rule	Severity	# Errors
	Clients with Birth Year after end of reporting period Clients with Birth Year after First HIV OAHS Visit Date Year Clients with HIV/AIDS Status of Indeterminate missing Risk Factor of M Clients with Male or Unknown Gender with a Cervical Pap Smear Clients with HIV diagnosis year after reporting period Clients with Male or Unknown Gender with Pregnancy Status Clients age 90 or older	Error Error Waming Alert Alert Alert Alert	0 1 0 0 2

Click here to view an example of the RSR Data Validations Report.